


## DENSBE IP65 OUTDOOR WATERPROOF WALL LAMP

DENSBE IP65 rated Outdoor Waterproof LED Wall Lamp in Up Down Ways lighting, and with adjustable beam angle manually:



### Description:

- 100% Die-casting aluminum lighting fixture
- IP65 rating for indoor/outdoor use
- Black/White housing color in option
- Adjustable beam angle
- 3000K,4000K,5000K,6000K in option
- Energy Savings of as Much as 90% vs Traditional Lighting
- Applications: Hotel, Hall, Exhibition, Decorative Lighting

DENSBE ELECTRICAL S'PORE PTE LTD

403 RACE COURSE ROAD SINGAPORE 218653

TEL: (65) 6447 3744

FAX: (65) 3441254

Email: [sales@densbe-electric.com](mailto:sales@densbe-electric.com) ; [densbe@singnet.com.sg](mailto:densbe@singnet.com.sg)

Website: [www.densbe-electric.com](http://www.densbe-electric.com)

# DENSBE WEATHER PROOF LIGHTING CATALOG



## DENSBE DUAL HEAD CYLINDER WALL LAMP

IP65 rated Outdoor Waterproof LED Wall Lights in Up and Down Ways for option, [ETL/cETL/CE/RoHS Approval](#):



**DENSBE ELECTRICAL S'PORE PTE LTD**  
403 RACE COURSE ROAD SINGAPORE 218653  
TEL: (65) 6447 3744  
FAX: (65) 3441254  
Email: [sales@densbe-electric.com](mailto:sales@densbe-electric.com) ; [densbe@singnet.com.sg](mailto:densbe@singnet.com.sg)  
Website: [www.densbe-electric.com](http://www.densbe-electric.com)

# DENSBE WEATHER PROOF LIGHTING CATALOG

## SPECIFICATIONS:

Power	5W*2 to 36W*2
Voltage	AC85-265V/AC100-277V
Emitting color	W/WW/Y/R/G/B/Pink/Purple/RGB
Lumen	100lm/w
IP rating	IP65
Color temperature	3000-3500K, 4000-4500K, 6000-6500K
Diffuser	Toughened glass
Material	Aluminum+glass
Power factor	> 0.90
Beam angle	15°/30°/60°/90°
Housing color	Black, Gray, Bronze, White
Certification	CE, ROHS, ETL and cETL
Working Temperature	-20-+45
Packing	neutral boxes or white boxes
Life span	50 000 hours

## DENSBE ROTATABLE WALL LIGHTING

IP65 rated LED Up/Down wall light with **Rotatable head**, single side or double sides lighting in option:

**ETL Approved**



**DENSBE ELECTRICAL S'PORE PTE LTD**

403 RACE COURSE ROAD SINGAPORE 218653

TEL: (65) 6447 3744

FAX: (65) 3441254

Email: [sales@densbe-electric.com](mailto:sales@densbe-electric.com) ; [densbe@singnet.com.sg](mailto:densbe@singnet.com.sg)

Website: [www.densbe-electric.com](http://www.densbe-electric.com)

# DENSBE WEATHER PROOF LIGHTING CATALOG

## SPECIFICATIONS:

Model	Size(MM)	Power (W)	Input voltage (V)	Brightness	Beam angle	Finish color	LED color	Shell material	Working temperature	Base	PF	IP
PL-UPD-24X1W-2R	Φ130*H267	48	AC100-277	80lm/W for white color	15° 30° 60° 90° in option	Black	3000K, 4000K, 5000K, 6000K, Red, Green, Blue in option	Aluminum + tempered glass	-20 ~45°C	Two sides lighting	0.9	65
PL-UPD-24X1W-R	Φ130*H145	24								One side lighting		

## DENSBE LED BULKHEAD LAMPS

DENSBE LED Bulkhead Lamps are in hot selling, different types, IP65 rated and factory price:

[ETL/cETL/CE/RoHS Approved](#)



DENSBE ELECTRICAL S'PORE PTE LTD

403 RACE COURSE ROAD SINGAPORE 218653

TEL: (65) 6447 3744








FAX: (65) 3441254

Email: [sales@densbe-electric.com](mailto:sales@densbe-electric.com) ; [densbe@singnet.com.sg](mailto:densbe@singnet.com.sg)

Website: [www.densbe-electric.com](http://www.densbe-electric.com)

# DENSBE WEATHER PROOF LIGHTING CATALOG

## SPECIFICATIONS:

Power (W)	Photo	Input voltage	Cover color	LED color	Shell material	Working temperature	PF	IP
20W		AC100-277V	Black, white in option	3000K, 4000K, 5000K, 6000K in option	Plastic+aluminum PCB	-20 ~45°C	0.9	65
20W								
20W								
20W								
20W								
20W								
20W								
20W	